

BADER[®]

**CATÁLOGO
FRESAS FG**



A TU LADO Y DE TU LADO

ISO 263
REF 103 FG
Football




Ø mm	025
L1 mm	5.0
L2 mm	19.0
Grit Size	▼

ISO 156
REF 156 FG
Cylinder



Ø mm	014
L1 mm	4.5
L2 mm	19.0
Grit Size	▼

ISO 158
REF 158 FG
Cylinder



Ø mm	014
L1 mm	8.0
L2 mm	22.0
Grit Size	▼

ISO 274
REF 274 FG
Flame



Ø mm	016
L1 mm	3.5
L2 mm	19.0
Grit Size	▼

ISO 257
REF 368 FG
Football



Ø mm	016 023
L1 mm	3.0 5.0
L2 mm	19.0 19.0
Grit Size	▼

ISO 277
REF 379 FG
Ellipse



Ø mm	020 023 030
L1 mm	4.0 4.0 4.5
L2 mm	19.0 19.0 22.0
Grit Size	▼

ISO 219P
REF 413 FG
Safe-End Taper



Ø mm	020
L1 mm	10.0
L2 mm	24.0
Grit Size	▼

ISO 001
REF 801 FG



ISO 001L
REF 801L FG
Ball



Ø mm	009 010 012 014 016 018 022	016 025
L1 mm		
L2 mm	19.0 19.0 19.0 19.0 19.0 19.0	25.0 25.0
Grit Size	▼	▼

ISO 002
REF 802 FG
Ball With Collar



Ø mm	014 018 022
L1 mm	2.6 2.6 3.0
L2 mm	19.0 19.0 19.0
Grit Size	▼

ISO 010
REF 805 FG
Cone Inverted



Ø mm	012 014 018
L1 mm	1.2 1.4 1.5
L2 mm	19.0 19.0 19.0
Grit Size	▼

ISO 019
REF 806 FG
Cone With Collar



Ø mm	012 014 018
L1 mm	2.4 2.8 3.0
L2 mm	19.0 19.0 19.0
Grit Size	▼

ISO 225
REF 807 FG
Inverted Cone




Ø mm	012 014 018
L1 mm	3.0 3.5 5.0
L2 mm	19.0 19.0 19.0
Grit Size	▼

ISO 032
REF 813 FG
Double Cone



Ø mm	014 016 018
L1 mm	2.6 1.6 2.2
L2 mm	19.0 19.0 19.0
Grit Size	▼

PACK X5 UDS.
9,10€



181 µm **Supergrosso** 46 µm **Fino**
151 µm **Grueso** 30 µm **Extrafino**
126 µm **Medio** 10 µm **Ultrafino**

FRESAS DIAMANTE

ISO 040
REF 815 FG
Wheel



Ø mm	012
L1 mm	0.4
L2 mm	19.0
Grit Size	▼

ISO 041
REF 818 FG
Wheel



Ø mm	030
L1 mm	0.9
L2 mm	19.0
Grit Size	▼

ISO 233
REF 830 FG
Pear



Ø mm	012
L1 mm	3.0
L2 mm	19.0
Grit Size	▼

ISO 234
REF 830L FG
Pear



Ø mm	012	016	018
L1 mm	4.0	5.0	5.0
L2 mm	19.0	19.0	19.0
Grit Size	▼	▼	▼

ISO 107
REF 835 FG
Cylinder



Ø mm	009	012	016
L1 mm	3.0	4.0	4.0
L2 mm	19.0	19.0	19.0
Grit Size	▼	▼	▼

ISO 110
REF 836 FG
Cylinder



Ø mm	010	012	014
L1 mm	6.0	5.5	5.5
L2 mm	21.0	21.0	21.0
Grit Size	▼	▼	▼

ISO 111
REF 837 FG
Cylinder



Ø mm	010	012	014	016	017
L1 mm	7.0	8.0	8.0	8.0	8.0
L2 mm	21.0	21.0	22.0	22.0	22.0
Grit Size	▼	▼	▼	▼	▼

ISO 137
REF 838 FG
Round-End Cylinder



Ø mm	012
L1 mm	4.0
L2 mm	19.0
Grit Size	▼

ISO 168
REF 845 FG
Flat-End Taper



Ø mm	009
L1 mm	3.0
L2 mm	19.0
Grit Size	▼

ISO 171
REF 846 FG
Flat-End Taper



Ø mm	018	021
L1 mm	5.5	5.2
L2 mm	21.0	21.0
Grit Size	▼	▼

ISO 172
REF 847 FG
Flat-End Taper



Ø mm	012	016
L1 mm	8.0	10.0
L2 mm	22.0	24.0
Grit Size	▼	▼

ISO 173
REF 848 FG
Flat-End Taper



Ø mm	012	014	018
L1 mm	10.0	10.0	10.0
L2 mm	24.0	24.0	24.0
Grit Size	▼	▼	▼

ISO 194
REF 849 FG
Round-End Taper




Ø mm	012	016
L1 mm	4.0	4.0
L2 mm	19.0	19.0
Grit Size	▼	▼

ISO 199
REF 850 FG
Round-End Taper



Ø mm	014	016	018
L1 mm	10.0	10.0	10.0
L2 mm	24.0	24.0	24.0
Grit Size	▼	▼	▼

PACK X5 UDS.
9,10€



- | | |
|---|--|
| 181 µm  Supergrueso | 46 µm  Fino |
| 151 µm  Grueso | 30 µm  Extrafino |
| 126 µm  Medio | 10 µm  Ultrafino |

ISO 164
REF 852 FG
Pointed Taper

Ø mm	012	014	018
L1 mm	6.0	6.0	6.0
L2 mm	21.0	21.0	21.0
Grit Size			

ISO 197
REF 855 FG
Round-End Taper

Ø mm	012	014	016	018
L1 mm	6.5	6.8	7.0	8.5
L2 mm	21.0	21.0	21.0	22.0
Grit Size				

ISO 198
REF 856 FG
Round-End Taper

Ø mm	016	022	025
L1 mm	8.0	9.0	7.0
L2 mm	22.0	22.0	21.0
Grit Size			

ISO 165
REF 858 FG
Pointed Taper

Ø mm	012	014
L1 mm	8.0	8.0
L2 mm	22.0	22.0
Grit Size		

ISO 166
REF 859 FG
Pointed Taper

Ø mm	016	018	022
L1 mm	10.5	10.0	9.5
L2 mm	24.0	24.0	24.0
Grit Size			

ISO 245
REF 860 FG
Flame

Ø mm	014	018
L1 mm	5.0	7.0
L2 mm	19.0	21.0
Grit Size		

ISO 249
REF 862 FG
Flame

Ø mm	014	016
L1 mm	8.0	9.0
L2 mm	22.0	24.0
Grit Size		

ISO 250
REF 863 FG
Flame

Ø mm	012	016
L1 mm	6.0	10.0
L2 mm	22.0	24.0
Grit Size		

ISO 223
REF 868 FG
Round-End Taper

Ø mm	012	016
L1 mm	8.0	8.0
L2 mm	22.0	22.0
Grit Size		

ISO 222
REF 869 FG
Round-End Taper

Ø mm	014
L1 mm	6.0
L2 mm	21.0
Grit Size	

ISO 297
REF 877K FG
Curettage/
Pointed Taper

Ø mm	012	018
L1 mm	6.5	6.5
L2 mm	21.0	21.0
Grit Size		


ISO 289
REF 878 FG
Torpedo

Ø mm	014
L1 mm	8.0
L2 mm	22.0
Grit Size	

ISO 298
REF 878K FG
Curettage/
Pointed Taper

Ø mm	018
L1 mm	8.0
L2 mm	22.0
Grit Size	

PACK X5 UDS.
9,10€



- | | | | |
|--------|-------------------|-------|------------------|
| 181 µm | Supergroso | 46 µm | Fino |
| 151 µm | Grueso | 30 µm | Extrafino |
| 126 µm | Medio | 10 µm | Ultrafino |

CARBURO TUNGSTENO FG

¡NUEVO!

PACK X5 UDS.
25,99€

ISO 199

REF ZEKRYA 151



Ø mm	1.6
L	2.5

500.316.219.199.025

ISO 001

REF EXCAVABURS



Ø mm	1.4
L	1.4

500.314.001.019

ISO 219

REF ENDO-Z 152



Ø mm	1.4
L	9.0

500.316.219.295.025

ISO 129

REF 884 FG

Cone-End
Cylinder



Ø mm	012
L1 mm	5.0
L2 mm	22.0
Grit Size	▼

ISO 141

REF 881 FG

Round-End
Cylinder



Ø mm	012	014	016
L1 mm	6.0	8.0	8.0
L2 mm	22.0	22.0	22.0
Grit Size	▼	▼	▼

ISO 140

REF 880 FG

Round-End
Cylinder



Ø mm	012	014
L1 mm	6.0	6.0
L2 mm	21.0	21.0
Grit Size	▼	▼

ISO 290

REF 879 FG

Torpedo



Ø mm	016
L1 mm	10.0
L2 mm	24.0
Grit Size	▼

ISO 131

REF 886 FG

Cone-End
Cylinder



Ø mm	016
L1 mm	10.0
L2 mm	24.0
Grit Size	▼

ISO 496

REF 888 FG

Flame



Ø mm	012
L1 mm	8.0
L2 mm	22.0
Grit Size	▼

ISO 068

REF 909 FG

Wheel




Ø mm	035	042	050
L1 mm	1.4	2.0	1.2
L2 mm	19.0	22.0	19.0
Grit Size	▼	▼	▼

ISO 130

REF 885 FG

Cone-End
Cylinder



Ø mm	010	012	014	016
L1 mm	8.0	7.5	8.0	8.0
L2 mm	22.0	22.0	22.0	22.0
Grit Size	▼	▼	▼	▼

ISO 512

REF 6052 FG

Cylindrical/conical
Reducer



Ø mm	018
L1 mm	7.0
L2 mm	21.0
Grit Size	▼

ISO 517

REF 6054 FG

Cylindrical/conical
Reducer



Ø mm	016
L1 mm	6.0
L2 mm	21.0
Grit Size	▼

ISO 518

REF 6055 FG

Cylindrical/conical
Reducer



Ø mm	018
L1 mm	8.0
L2 mm	22.0
Grit Size	▼

ISO 511

REF 6051 FG

Cylindrical/conical
Reducer



Ø mm	016
L1 mm	5.0
L2 mm	19.0
Grit Size	▼



Síguenos en: @BaderDental



BADER EUROPE GROUP S.L.

Parque Empresarial Porto do Molle
Rúa da Madanela, Nave 3D
36350 Nigrán · Pontevedra · España

ES +34 986 190 307
PT +351 211 156 082

info@bader.es

www.bader.es

DISTRIBUIDOR AUTORIZADO:

PRECIOS SIN IVA válidos salvo error tipográfico y modificables sin previo aviso.